SEA-BIRD ELECTRONICS, INC.

1808 136th Place N.E., Bellevue, Washington, 98005 USA

Phone: (425) 643 - 9866 Fax (425) 643 - 9954 Email: seabird@seabird.com

SENSOR SERIAL NUMBER: 6047
CALIBRATION DATE: 11-May-08

SBE16plus TEMPERATURE CALIBRATION DATA
ITS-90 TEMPERATURE SCALE

ITS-90 COEFFICIENTS

a0 = 1.287782e-003
a1 = 2.582246e-004
a2 = 1.185527e-007
a3 = 1.362299e-007

BATH TEMP (ITS-90)	INSTRUMENT OUTPUT(n)	INST TEMP (ITS-90)	RESIDUAL (ITS-90)
1.0000	627557.182	1.0000	0.0000
4.5000	556356.818	4.4999	-0.0001
15.0000	379951.455	14.9999	-0.0001
18.5000	332718.182	18.5001	0.0001
24.0000	268743.545	24.0000	-0.0000
29.0000	220187.727	28.9998	-0.0002
32.5001	190929.455	32.5002	0.0001

MV = (n - 524288) / 1.6e+007

R = (MV * 2.900e+009 + 1.024e+008) / (2.048e+004 - MV * 2.0e+005)

Temperature ITS-90 = $1/\{a0 + a1[ln(R)] + a2[ln^2(R)] + a3[ln^3(R)]\} - 273.15$ (°C)

Residual = instrument temperature - bath temperature



SEA-BIRD ELECTRONICS, INC.

1808 136th Place N.E., Bellevue, Washington, 98005 USA
Phone: (425) 643 - 9866 Fax (425) 643 - 9954 Email: seabird@seabird.com

SENSOR SERIAL NUMBER: 6047
CALIBRATION DATE: 11-May-08

SBE16plus CONDUCTIVITY CALIBRATION DATA
PSS 1978: C(35,15,0) = 4.2914 Siemens/meter

COEFFICIENTS:

```
g = -1.000180e+000
h =  1.445345e-001
i = -4.137279e-004
j =  5.191335e-005

CPcor = -9.5700e-008
CTcor =  3.2500e-006
```

BATH TEMP (ITS-90)	BATH SAL (PSU)	BATH COND (Siemens/m)	INST FREO (Hz)	INST COND (Siemens/m)	RESIDUAL (Siemens/m)
22.0000	0.0000	0.00000	2637.26	0.0000	0.00000
1.0000	34.7172	2.96830	5253.44	2.9683	0.00002
4.5000	34.6973	3.27460	5451.88	3.2746	-0.00002
15.0000	34.6541	4.25382	6041.95	4.2538	-0.00001
18.5000	34.6442	4.59800	6235.82	4.5980	0.00001
24.0000	34.6328	5.15434	6536.69	5.1544	0.00001
29.0000	34.6250	5.67450	6805.58	5.6745	-0.00001

f = INST FREQ / 1000.0

Conductivity = $(g + hf^2 + if^3 + jf^4) / (1 + \delta t + \varepsilon p)$ Siemens/meter

t = temperature[°C)]; p = pressure[decibars]; δ = CTcor; ε = CPcor;

Residual = instrument conductivity - bath conductivity